

OVO5-BL

5.25" design two-way loudspeaker,
black



OVO5 is a 5.25" two-way loudspeaker and without doubt the best value for money design cabinet loudspeaker. Budget and quality sound are united in this elegant low-impedance speaker.

Ideal for paging purposes and quality background music in restaurants, doctors cabinet, classrooms... Its fresh and young design fits into any décor or interior style.

The OVO5 loudspeakers can be mounted with the included wall bracket or can be placed freestanding on a shelf.

The bracket allows flexible positioning, while the sturdy ABS plastic housing guarantees years of trouble free musical enjoyment. Quick-Fit cable clamps ensure quick and easy mounting. Affordable, but by no means a compromise on sound quality –typically Apart!


The OVO5 loudspeakers can be painted in any colour.

TECHNICAL SPECIFICATIONS


height in mm	260	width in mm	170
depth in mm	180	loudspeaker system	2-way
woofer size in inch	5,25	woofer cone material	coated paper
tweeter size in inch	1	mounting system	U-bracket
colour	black / white	impedance (ohms)	8
low impedance dynamic power in watts	80	low impedance RMS power in watts	50
SPL 1W/1m in dB	89	max SPL 1m in dB	105
frequency response in Hz	70 - 20K	main construction material	ABS plastic
grille main material	steel	IP rating	
Horizontal dispersion angle 1000 Hz	180°	Vertical dispersion angle 1000 Hz	180°
closest RAL colour (subject to deviations)	RAL9003 (W) / RAL9011 (BL)	Net weight product (kg)	2,45

POLAR PLOTS


Data Shown: OVO5 (Apart Audio)
Display Parameters: Frequency: 1000Hz (1/24th Octave)




Data Shown: OVO5 (Apart Audio)
Display Parameters: Frequency: 2000Hz (1/24th Octave)



Data Shown: OVO5 (Apart Audio)
Display Parameters: Frequency: 4000Hz (1/24th Octave)



Data Shown: OVO5 (Apart Audio)
Display Parameters: Frequency: 8000Hz (1/24th Octave)



[MORE PICTURES](#)



ACCESSORIES



LRAPRE-BL

Premium light rail adaptor KUBO3/5,SDQ5P,OVO5, pack of 2

LRABAS-BL

Basic light rail adaptor KUBO3/5, SDQ5P, OVO5, pack of 10